Contents Vol. 65

No. 1

Public health report



Original article

Methods of coping with musculoskeletal pain among community-dwelling elderly individualsSaori ANZAI, et al61
Self-reported obituary columns in a local daily newspaper
Public health report
Countermeasures for rubella outbreak among adults in Sumida city from April 2013 to March 2016
Information
Subjective symptoms of outpatients with hypertension in Japan: Analysis of the Comprehensive Survey of Living
Conditions (2010) ·····Rumi Tsukinoki, et al···89

No. 3

Original article

Characteristics of health literacy, social capital, and health behavior acquired through experiences
by health promotion volunteers ···································
Factors related to frequent emergency hospital refusal of ambulance transport callsMika KUMAGAI, et al116
Predictors of social isolation among older people living in urban area: a prospective studyManami EJIRI, et al…125
Public health report
The development of an end-of-life-care system in small remote islands: the formulation and application of
an "Office Procedure Manual for End-of-Life-Care"

No. 4	
-------	--

Original article

Association between mild physical injury and psychological distress: Shichigahama Health Promotion ProjectAkira NARITA, et al...157 The number of deaths by suicide after the Great East Japan Earthquake based on demographic statistics in the coastal and non-coastal areas of Iwate, Miyagi, and Fukushima prefectures

·····Naoko MASAKI, et al···164

Information

······Masako Kakizaki, et al···179

No. 5

Original article

Association between feelings of happiness among community-dwelling, independent, elderly
individuals in an Okinawan farm village and survival three years later
Regional differences in mortality and food and nutrient intake and their associations among
secondary healthcare service areas in Hokkaido210 secondary healthcare service areas in Hokkaido
National survey of municipalities examining the introduction of Honnintsuchiseido and its
effect on the issuance of resident record copies for academic researchAkiko NAGAI, et al223
Willingness to continue working as district welfare commissioners in Tokyo: the roles of
psychosocial rewards, role strain, and support

No. 6

Special article

Development of public health system since the incunabula age until today ·······Kozo TATARA···255 Original article Occupational stress among care workers: evaluation by a novel physiological method ·······Hiroko TOSHIMA···266 Support that cancer peer supporters working at medical institutions currently receive and the support they actually need ·······Yumi YOSHIDA, et al···277

Information

No. 7

Original article

Community Child-Rearing Support Scale: Applicability across generations and differences in the
supportive behaviors among generations
The relationship between parenting anxiety in mothers and the resources from which they routinely
sought advice: The final "Healthy Parents and Children 21" surveySayaka YAMAZAKI, et al…334
Public health report
Effects of the dietary program "SHIKKARITABE CheckSheet 12" to improve dietary variety on
higher-level functional capacity among community-dwelling older individualsYuki OKABE, et al347
Information
Normative data of middle-aged and older Japanese adults for the the Japanese version of the Ten-Item
Personality Inventory (TIPI-J) ····································

No. 8

Original article

The development of a public health nurses precepting experiential learning scale
Effects of Brief Cognitive Behavioral Therapy for insomnia on sleep and usage of hypnotics among
community-dwelling older adults: Randomized controlled trialMika TANAKA, et al386
Public health report
Establishment of disaster health management programs by public health centers in Japan with the
introduction of the Disaster Health Emergency Assistance TeamYoshihiro TAKAYAMA, et al…399
Information
Factors related to eating behaviors in early childhood: Relationships between autistic tendency,
sensory characteristics, and childcare environment



Original article Background factors contributing to over-consumption of alcohol and risk of lifestyle related diseases among States and predictors of postpartum smoking relapse: a population based longitudinal study …Hitoshi TAKI, et al…534 Public health report Management of an outbreak of food poisoning caused by enterohemorrhagic Escherichia coli O157 at the Information Subjective happiness among Japanese adults: An upward tendency associated with age ······Satoshi Shiмai, et al···553



Original article

Issues and efforts regarding community care meetings managed by community-based comprehensive support
center staff ······Sayo HARADA, et al···575
Association of vegetable intake with dietary behaviors, attitudes, knowledge, and social support among the
middle-aged Japanese population······S89
Correlation between community activity functions and the antecedent factors of mothers and activity forms
Chie Kawasaki…602
Information

I

Influence of age-specific mortality rate on regression of male life expectancy in Nagano to the second position among 47 prefectures in Japan as reported in the 2015 prefecture life tableYoshikiyo KOBAYASHI...615

No. 11

Original article

Content analysis of newspaper reports on passive smoking regulations in JapanNagako MACHIDA, et al637
The relationship between sleep and subjective mental health at one month postpartum in Japanese women
······Yoshiko Adachi, et al···646

Awareness of harm to others from secondhand smoke and smokers' interest in smoking cessation

·····Osamu Акіуама, et al···655

Information

No. 12

Original article

The relationship between intra- and inter-generational exchange and mental health among young and older adults
······Yuta Nemoto, et al···719
The Japanese legal system and the applicability of laws and regulations on private information protection and
research ethics relating to medical research
Relationship between eating alone and dietary variety among urban older Japanese adults …Izumi TANAKA, et al…744
Public health report
Measures taken by public health centers in Kumamoto, Japan, during the hyperacute phase to subacute
phase of the Kumamoto earthquake
Information

Investigation of the factors influencing fatigue in women until one month after delivery ...Mika AKIMOTO, et al...769